




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60	A1	(11) International Publication Number: WO 96/38801 (43) International Publication Date: 5 December 1996 (05.12.96)
<p>(21) International Application Number: PCT/US96/08865</p> <p>(22) International Filing Date: 3 June 1996 (03.06.96)</p> <p>(30) Priority Data: 08/456,525 1 June 1995 (01.06.95) US</p> <p>(71) Applicant (for all designated States except US): AMERICAN EXPRESS TRS [US/US]; General Counsel's Office, American Express Tower, World Financial Center, New York, NY 10285 (US).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): TASKETT, John, M. [US/US]; 2673 East Coquina Ct., Salt Lake City, UT 84121 (US).</p> <p>(74) Agents: KELLY, Michael, K. et al.; Snell & Wilmer, One Arizona Center, Phoenix, AZ 85004-0001 (US).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p>

(54) Title: METHODS AND APPARATUS FOR PROVIDING A PREPAID, REMOTE ENTRY CUSTOMER ACCOUNT



(57) Abstract

Methods and apparatus for providing prepaid (100), remote entry customer accounts suitably comprise a system (208) for generating accounts with dedicated authorization codes from a remote terminal (206). The account, suitably associated with a computer, is created when funds are supplied from a remote terminal (208). The computer then provides an account number and an authorization code to the account holder. The authorization code (12) (Fig. 1) may then be used to access the funds associated with the account.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

METHODS AND APPARATUS FOR PROVIDING A PREPAID, REMOTE ENTRY CUSTOMER ACCOUNT

Technical Field

5 The present invention generally relates to prepaid, remote memory transaction instruments for use by a consumer for purchasing goods and services which eliminates the need for cash transfers in a commercial transaction, and more particularly, to methods and apparatus for dispensing
10 prepaid instruments which are essentially functionally equivalent to prepaid calling cards from conventional ATM machines, POS devices, and the like.

Background Art and Technical Problems

 Remote memory, prepaid accounts for use in purchasing goods and services are generally well known. Presently known schemes typically involve a printed document, for example a plastic or cardboard wallet size
15 card which bears a customer authorization number and instructions for access to funds, services, and the like. Such prepaid cards have been used extensively throughout the world, for example as prepaid long distance telephone calling cards.

 In contrast to stored value cards (*e.g.*, "smart cards"), wherein a
20 remaining account balance is stored within a microprocessor controlled memory resident in the card, remote memory systems typically store information pertaining to a prepaid account at a central host computer, which may be accessed via a telephone or data line by the consumer through the use of an authorization code, Personal Identification Number
25 (PIN), or the like.

 The use of prepaid remote memory telephone cards is particularly prevalent in the United States. A typical prepaid telephone calling card includes a toll-free telephone number used by the consumer to access the system, a unique authorization code associated with the card and, hence,
30 the corresponding remote account, and dialing instructions. When a customer desires to use the card to place a long distance call, he dials the toll-free number, thereby accessing the host system which manages the

remote accounts. By entering a predetermined authorization number, the consumer is informed by the host computer of the remaining balance. The consumer then enters the desired long distance telephone number, and the system connects the consumer with the desired calling destination. Long
5 distance telephone charges attributed to the telephone call are deducted from the remaining balance, and the call is terminated when the account is fully consumed.

Prepaid telephone calling cards are typically printed in batches, with security measures taken during manufacturing and shipping to prevent the
10 cards or their identifying numbers from being stolen, copied, or otherwise used in a fraudulent manner. In this regard, the identifying numbers, authorization codes, PINs, and the like may be obscured or otherwise covered by packaging techniques, scratch off surfaces, and the like. In this way, unauthorized access to the security codes may be prevented until the
15 card is sold to a consumer and properly activated. However, for retail outlets which maintain a substantial inventory of not yet activated cards, the potential for theft, abuse, and other fraud is high, resulting in expensive audit and inventory control.

Security may be enhanced to some extent by selling prepaid cards
20 through vending machines. For example, a vending machine may contain prepaid calling cards in predetermined dollar amounts, for example, \$5.00 cards, \$20.00 cards, and the like. Although the use of vending machines provides certain security advantages in the nature of limited access to the cards, they also have several drawbacks. For example, vending machines
25 contain a valuable commodity and are therefore obvious targets for destruction and theft. Moreover, prime locations for these machines are airports and the like which, due to federal regulations and other fees, (*e.g.*, local taxes), are quite expensive locations for these vending machines. In addition, the machines themselves are expensive, and require service to
30 refill, manage inventory, and remove payments. A method of producing and disseminating remote entry, prepaid instruments is thus needed which overcomes the limitations of the prior art.

Summary of the Invention

In accordance with a preferred embodiment of the present invention, a prepaid, remote entry account instrument is printed by an Automated Teller Machine (ATM), Point of Sale (POS) terminal, or other device in much the same way these devices currently print receipts for cash withdrawals, purchases of goods, and the like. More particularly, in accordance with one aspect of the present invention, conventional ATMs may be configured to print an instrument which includes all the information necessary to permit a consumer to conveniently access a remote account and obtain products and/or services in a cashless manner; that is, the ATM generated instrument may include a telephone number (e.g., an 800 number), an unique authorization code, and dialing instructions in much the same way that currently known preprinted plastic and cardboard prepaid telephone cards serve the analogous function. By maintaining an intermittent or constant communication link between the ATM machine and the host computer which manages the accounts, the ATM may be configured to print appropriate authorization codes and the like on the instrument in response to instructions from the host computer. Indeed, presently available ATMs may be reconfigured to dispense these instruments with little or no hardware changes.

In accordance with a further aspect of the present invention, security of prepaid remote memory instruments may be greatly enhanced and inventory costs greatly reduced inasmuch as the physical embodiment of the instrument need not even exist until the time it is requested by the consumer through interaction with the ATM, POS, or the like.

Brief Description of the Drawing Figures

The present invention will hereinafter be described in conjunction with the appended drawing figures, wherein like numerals are used to note like elements, and:

Figure 1 is an exemplary instrument generated by an ATM, POS, or the like in accordance with the present invention;

Figur 2 is a schematic block diagram of a first embodiment of the present invention wherein the instrument of Figure 1 is printed by an ATM and used in the context of a long distance telephone service system;

5 Figure 3 is a schematic block diagram of an alternate embodiment of the present invention, wherein the instrument of Figure 1 is used in the context of a vending machine purchase; and

8 Figure 4 is a schematic block diagram of an alternate embodiment of the present invention, wherein the instrument of Figure
10 1 is used in the context of a POS device.

Detailed Description of Preferred Exemplary Embodiments

Referring now to Figure 1, presently known ATMs, POS devices, and the like may be conveniently configured in accordance with the present invention to print an exemplary instrument 100; hence, instrument 100 is
15 preferably analogous in its physical embodiment to a receipt typically printed by an ATM at the conclusion of an ATM transaction. It may thus be seen that instrument 100 may be generated by an ATM with little if any hardware reconfiguration; that is, the actual prepaid instrument may be generated in accordance with one aspect of this invention by reconfiguring only the
20 software of presently known ATM machines.

In accordance with the preferred embodiment shown in Figure 1, the software resident in the ATM may be configured to generate any number of desired fields containing virtually any combination of information, as desired. For example, instrument 100 may reflect information pertaining to the issuer
25 of the instrument (line 1), the date and/or time of issuance (line 2), and the location of the machine which issued the instrument with virtually any degree of specificity (line 3).

In addition, the prepaid amount (line 4) as well as the source of the funds (line 5) (*e.g.*, checking account number) may also be set forth. In this
30 regard, it may be desirable under certain circumstances to allow the purchaser of the instrument to select the prepaid amount from a

predetermined menu, which may include values of \$5.00, \$20.00, \$100.00, or any desired amount.

Alternatively, it may be desirable to allow the consumer to enter any particular amount (*e.g.*, \$34.77, \$3,409.20) to precisely conform to the value of the transaction for which the instrument is used. By eliminating the need for the merchant to give change back to the purchaser, the use of the cash may be entirely avoided.

With continued reference to Figure 1, a brief description of the nature of the instrument may be set forth (lines 6-8), including, if desired, the number of minutes of long distance calls provided by the instrument, if appropriate (line 8). In certain applications, it may also be desired to set forth the expiration date (line 9) or any other relevant parameters or characteristics pertaining to the instrument and the nature of its intended use.

In accordance with a further aspect of the present invention, user friendly instructions may be set forth on the instrument to explain to the consumer how the instrument is to be used to effect transactions. In accordance with the illustrated embodiment, instrument 100 suitably sets forth dialing instructions for permitting a user to employ the instrument to make long distance telephone calls. More particularly, instrument 100 instructs the user to dial a telephone number (line 10), for example, a toll-free 800 number, to access the host computer which maintains the account from which "funds" are "withdrawn" or otherwise consumed as a consequence of the long distance telephone calls made in accordance with instrument 100. The instrument thereafter instructs the user (line 11) to enter a predetermined authorization code (line 12) which is preferably unique to a particular instrument. In accordance with a further aspect of the present invention, a bar code (line 13) or other suitable indicia of an authorization code may also be exhibited on the instrument, for example to permit its use with bar code readers, as discussed in greater detail below.

Instrument 100 is further configured to instruct the user to dial a desired destination telephone number (lines 14 and 15); instrument 100 may

optionally provide additional instructions for international calls, subsequent calls without hanging up or any other described feature (lines 16-20). If desired, instrument 100 may also instruct the user to contact a customer service number (lines 21-22) as desired.

5 Given the robust configuration of the present invention, virtually any additional information, data, or even advertising copy may be set forth on the instrument 100 (*e.g.*, lines 23-24).

 In accordance with a further aspect of the present invention, instrument 100 may also include a replacement code which may be used by the consumer to report a lost or stolen instrument to the issuer of the instrument, and thereby request a replacement or refund of the instrument. That is, if such an ID code is maintained by the consumer in a place separate and apart from instrument 100, in the event instrument 100 is lost or stolen, a consumer could "cancel" the ID code associated with the lost/stolen instrument, based on the replacement code maintained by the consumer which is advantageously different from yet related to the ID number on the lost/stolen instrument. See copending U.S. Patent Application Serial No. _____, filed on even date herewith by the same inventor, entitled *Methods and Apparatus for Providing a Prepaid, Remote Entry Customer Account*.

20 As briefly discussed above, a principal advantage of the present invention surrounds the ability to generate prepaid instruments with minimal hardware changes to presently known ATMs; indeed, to the extent software changes are appropriate, the software changes may be made to the software resident at the ATM, the software resident at the host computer with which the ATM communicates, or both, as desired.

25 More particularly, if the present invention is to be employed in a context of existing ATM networks, the host computer which maintains savings accounts, checking accounts, and the like for a particular bank or group of banks which share access to the ATM may be configured to manage the prepaid accounts corresponding to the various instruments generated by the ATMs. In this way, by enhancing the software at the host

computer, a consumer may conveniently enter his existing ATM card into an ATM terminal, enter his PIN, and request from the menu screen the option to receive a prepaid remote entry instrument of the type shown in Figure 1. The ATM software (or the host computer software) may be suitably
5 configured to elicit the information from the consumer necessary to generate the instrument, for example the source of funds for the instrument (i.e., the consumer's bank account, checking account, credit card account, American Express card account, or the like) as well as the prepaid dollar amount associated with the instrument. Upon eliciting the necessary information
10 from the consumer, the host computer or other suitable ATM network computer suitably retrieves or derives an authorization code, and establishes an "account" corresponding to that authorization code in memory. This account management function may be performed at any physical location, depending upon the desired uses of the instruments to be generated. For
15 example, if the instruments are to be employed as prepaid calling cards, the host computer could be integral with the computer resident at the long distance company; alternatively, the host computer could be integral with the ATM network, with the hardware link established between the ATM network and the long distance provider or providers.

20 Although instrument 100 is discussed herein in the context of an ATM, POS, or other similar device, virtually any modality for supplying a consumer with a unique ID number may be employed. For example, the ID number, as well as any other relevant information (e.g., a telephone number used by the consumer to access the host system), may be conveniently provided to the
25 consumer in a variety of different ways, including displaying the number on the consumer's television set, for example as the result of the consumer interacting with the issuer electronically. Alternatively, the ID number could be delivered to the consumer on the consumer's PC or other non-printed medium. In the context of the present invention, the ID code could even be
30 delivered to the consumer via facsimile or over the telephone, provided that the consumer and the host maintain associated records of the ID number,

i.e., as long as the host recognizes the ID number used by the consumer to place requests for goods or services (*e.g.*, long distance telephone calls).

Moreover, the system of the present invention may be conveniently configured to permit the consumer to "recharge" his account, for example by contacting the issuer or host computer (*e.g.*, by telephone), and adding additional value to his then current account balance, for example by authorizing the issuer to credit the consumer's prepaid account from any desired source of the consumer's funds, for example the consumer's checking account, savings account, credit card, or the like.

Referring now to Figure 2, a first embodiment of a distributed transaction system suitably comprises an ATM 202, having a printer 204 associated therewith, a data entry terminal 206, a service provider network 208 having an account database 210 associated therewith, and a service destination 212.

In accordance with one aspect of the present invention, the functions of service provider 208 may suitably be performed by a financial institution, credit card issuer, or other entity issuing instruments 100. Those skilled in the art will appreciate that service provider 208 includes suitable computing hardware for effecting the functions set forth herein. Specifically, database 210 is advantageously configured to manage the account balance of the prepaid accounts in the context of the present invention. For this purpose, a constant or temporary hardware link 209 suitably connects ATM 202 with service provider network 208. More particularly and as briefly discussed above, when a consumer "purchases" an instrument 100 through interaction with ATM 202, the interactive sequence may be controlled through software resident at ATM 202, service provider network 208, or a combination thereof. In any event, the authorization code (line 12, Figure 1) is advantageously coordinated between ATM 202 and service provider network 208 to permit service provider 208 to manage the accounts and account balances associated with the authorization codes printed on instrument 100 by ATM 202.

In accordance with a further aspect of the present invention, the ID number which is printed on instrument 100 may be generated in any suitable manner, for example by a random number generator, a pseudo random number generator, or any other suitable algorithm within the host computer.

5 Alternatively, the ID number may be determined by the host in conjunction with the consumer; that is, the host may generate a portion of the ID number, and ask the consumer to append a PIN to the ID number, or otherwise ask the consumer to select one or more digits (or characters in the case of an alpha-numeric ID code), to thereby complete the ID number

10 selection process. Finally, the system may be configured to permit the consumer to select his ID number. In this regard, it may be desirable to permit the host to confirm or otherwise augment the consumer selected number, to avoid "collisions" with other numbers selected by other consumers (*i.e.*, to prevent a consumer from selecting a number which has

15 already been selected by another consumer).

With continued reference to Figure 2, once a consumer retrieves an instrument 100 from ATM 202, he may use the instrument to place long distance telephone calls in the context of the distributed processing systems set forth in Figure 2 in the following manner.

20 In a preferred embodiment, data entry module 206 suitably comprises a conventional touch tone telephone; alternatively, data entry module 206 may comprise a PC or any other suitable data entry terminal capable of interfacing with a telephone line 214. The consumer in possession of instrument 100 executes the instructions set forth thereon, as discussed

25 above in connection with Figure 1 through an appropriate keypad 216 associated with telephone 206. In an alternate embodiment, it may be desirable to enter certain data into data entry terminal 206 through an alternative input/output modality, for example by reading bar code data with a bar code circuit 218 or any other suitable medium.

30 Upon dialing the access number (line 10, Figure 1), the telephone call is routed by the Local Exchange Carrier (LEC) 220 to service provider 208 associated with the aforementioned toll-free telephone number. If desired,

service provider network 208 may be configured to interactively request information from the consumer, for example through the use of voice prompts. In a preferred embodiment, the user enters data into data entry module 206 through keypad 216; however, it may also be desirable under
5 certain circumstance to employ voice recognition circuitry within service provider 208 to permit the consumer to "speak" information into data entry terminal 206. In any event, once the information pertaining to the authorization code (line 12, Figure 1) is received by the service provider 208, a correlation is made between the authorization code and a particular
10 account resident in database 210. Upon determining the current available "balance" in the account, the service provider may inform the consumer of the amount of long distance time available in the account or any other relevant parameter. Upon entering the desired destination telephone number into data entry terminal 206, either in response to a voice prompt from
15 service provider 208 (or through screen displays in the embodiment wherein data entry terminal 206 is a PC), service provider 208 connects or otherwise permits the connection of telephone 206 with the destination 212. In the illustrated embodiment, destination 212 corresponds to the telephone extension of the area code and phone number entered into data entry
20 module 206 by the consumer, for example corresponding to lines 14-18 in Figure 1. During the course of the long distance telephone call, service provider 208 decreases the available balance in the consumer's account until the account is fully withdrawn, at which time service provider 208 may inform the calling party that the account is fully withdrawn and either invite
25 the calling party or the called party to make other arrangements for payment in order to continue the call, or simply terminate the call.

In the embodiment shown in Figure 2, service provider network 208 includes the capability of connecting long distance telephone calls. Alternatively, service provider 208 may be connected electronically to a
30 remote long distance carrier (not shown) in order to facilitate the completion of long distance telephone calls.

With continued reference to Figure 2, in accordance with an alternative embodiment of the present invention, destination 212 may comprise virtually any "destination", for example a service provider, or a provider of data or information. In this regard, and as briefly discussed above, data entry module 206 may comprise a PC or other processing terminal configured to access a telephone or data network through hardware link 222. In accordance with this alternative embodiment, destination 212 may be suitably configured to download data or information to PC 206, for example in the context of the Internet. Moreover, the account maintained by service provider 208 relating to the instrument 100 used by the consumer to access destination 212 may also be employed to essentially pay for the data downloaded by destination 212 into PC 206. That is, although service provider 208 is equipped to credit value from a particular account in respect of long distance telephone charges, service provider 208 may also be conveniently configured to credit dollar values from the caller's account to a second account maintained by service provider 208 in respect of destination 212. In this way, instrument 100 may be employed by the consumer to, in effect, pay for data downloaded by destination 212 to PC 206 under the control of (or at least facilitated by) service provider network 208.

In accordance with the arrangements set forth Figure 2, ATM 202 may be connected directly to service provider network 208 through hardware link 209; alternatively, ATM (or POS) 202 may be connected to an ATM (or POS) network host 230 through a hardware link 232, with host 230 being connected to service provider network 208 through an additional hardware link 232. In this way, service provider 208 may suitably cooperate with a large number of ATM/POS devices associated with an existing ATM network host.

Referring now to Figure 3, instrument 100 may also be configured for the purchase of goods through a vending machine. In this regard, the information set forth on instrument 100, and in particular lines 6-10 and 14-20, would be set forth as appropriate to facilitate a vending machine

transaction. A vending machine 302 suitably comprises a keypad 304, a processor circuit 306, a local database 308, a bar code reader 310, and an inventory of items 312 available for receipt by the consumer through a dispensing chute 314. Vending machine 302 is suitably connected to service provider 208, for example through a hardware link 316. Alternatively, vending machine 302 may be equipped with a modem (not shown), thus permitting the vending machine to dial up a telephone network and establish connection to service provider network 208 through LEC 220.

With continued reference to Figure 3, a consumer may conveniently enter the authorization data (lines 12 and 13, Figure 1) associated with instrument 100 into keypad 304, bar code reader 310, or any other suitable modality (*e.g.*, voice recognition, and the like). Upon entering the authorization data, processor 306 accesses the account information associated with the authorization code. For a closed system involving a small number of vending machines, this information may be maintained locally, for example, in database 308. In the preferred embodiment, the information is maintained remotely in database 210 associated with service provider 208. In accordance with the preferred embodiment, processor 306 causes vending machine 302 to establish communication with service provider 208, to thereby ascertain the available balance in the account. When a communication link is established, service provider 208 may transmit a data packet to vending machine 302 and inform the consumer of the available balance, for example through an audio speaker or screen display (not shown) associated with the vending machine. After the consumer selects the items to be received from the vending machine, the account is "debited" in accordance with the value of these goods, and a new balance is established for the account by service provider 208. As is the case with the prepaid telephone instrument discussed in connection with Figures 1 and 2, upon consuming the available balance, instrument 100 may simply be discarded by the consumer. Inasmuch the account corresponding to instrument 100 has presumably been withdrawn down to zero, it will be

essentially impossible for the consumer or the service provider to be defrauded even if instrument 100 were to be later found by a third party who might attempt to perpetuate a fraud based on the information set forth in the instrument.

5 Referring now to Figure 4, a further alternative embodiment of the present invention uses a version of instrument 100 in the context of a commercial transaction involving a POS terminal. As discussed above in connection with Figures 1 and 2, instrument 100 may be printed or otherwise generated by a POS terminal in a fashion similar to the manner in
10 which an instrument is printed by an ATM terminal. In the context of Figure 4, on the other hand, the POS terminal plays a very different role, namely that of facilitating a sales transaction which utilizes an instrument 100 previously printed by either an ATM, a POS, or the like.

In the embodiment illustrated in Figure 4, a POS terminal 402 suitably
15 includes a display 404, a card reader 406, a keypad 408, and a peripheral interface 410. POS 402 is suitably connected to service provider 208, either directly or through LEC 220. When it is desired to consummate a commercial or financial transaction using instrument 100, the authorization code (lines 12 and 13, Figure 1) or other security information may be
20 entered into POS 402 in any convenient manner. For example, the data may be entered via keypad 408, or via a bar code reader, voice recognition circuit, or other modality cooperating with peripheral interface 410. If desired, the data entry process may be facilitated through the use of user prompts appearing on display 404, as controlled by service provider 208.
25 If, for example, a consumer desires to purchase goods from a merchant using POS 402, the consumer or merchant may simply enter the value of the goods to be purchased into POS 402, whereupon this value is "deducted" from the account maintained by service provider 208 corresponding to the authorization code entered by the user from instrument 100. If the current
30 account balance is sufficient to cover the cost of the goods, the account may be deducted by an amount approximately equal to the cost of the goods (plus any service charge, carrying charge, or the like), whereupon the

consum r would take instrument 100 with him for subs quent uses. Alternatively, if the then current available balance is either zero or otherwise insufficient, or if the consumer does not have an instrument 100 at the time he desires to purchase goods or services from the merchant, POS 402 may
5 be employed as described above to generate a new instrument which then may be used to the purchase the goods.

Although the embodiment shown in Figure 4 is set forth in the context of a POS device 402, virtually any device capable of communicating authorization code information to service provider 208 may be employed;
10 hence, even a simple keypad having dial up capability may be employed, underscoring the versatility and robust functionality of instrument 100. Indeed, even if a merchant did not wish to bear the cost of a POS terminal or a keypad, the merchant and/or the consumer at the merchant's facility could simply use the merchant's standard touch tone telephone and call up
15 the service provider (e.g., line 10 in Figure 1), whereupon the service provider could capture the automatic number identification (ANI) associated with the merchant's telephone, and thereby ascertain the identity of the merchant by interrogating database 210. Upon entering the value of the transaction through the telephone keypad as well as the authorization code
20 information from instrument 100, an amount corresponding to the sales transaction could be deducted from the account corresponding to instrument 100, and credited to a separate account maintained by service provider 208 in respect of the merchant, based on the merchant's identity as determined from its ANI.

25 Further underscoring the versatility of the present invention, the various devices configured to print instrument 100 may be suitably configured to print the data set forth on the instrument in any or a combination of languages.

30 In accordance with the further aspect of the present invention, remaining account balances, or even entire account balances should the consumer elect not to use an instrument, may be applied to the consumer's credit card, American Express card, or bank account, as d sired. In addition,

as opposed to using instrument 100 to purchase goods, instrument 100 could effectively be used as a traveler's check or other currency analogue, and simply be used by the consumer at an ATM machine to dispense cash from the "account" represented by the authorization code (lines 12 and 13, Figure 1). Although the present invention is set forth herein in the context of the appended drawing figures, it should be appreciated that the invention is not limited to the specific forms shown. By employing the principles of the present invention in the context of other devices, data networks, and commercial and financial transactions not specifically discussed herein, dramatically enhanced functionality and features may be provided to consumers, merchants, and financial institutions with relatively little increased infrastructure, hardware, or other costs, while affording additional security, inventory control, billing and accounting advantages not presently available with existing systems. These and other modifications and enhancements in the design and arrangement of the various components, processes, steps and descriptions thereof as set forth herein may be made without departing from the spirit and scope of the present invention as set forth in the appended claims.

CLAIMS

- 1 1. A prepaid instrument printed by a conventional ATM machine which
2 is interfaced with a service provider network having an account database
3 associated therewith, the instrument comprising indicia of a predetermined
4 authorization code associated with a predetermined account maintained by
5 said service provider and communicated to said ATM in connection with the
6 printing of said instrument.
2. The prepaid instrument of claim 1, further comprising indicia of an
initial balance associated with said account.
3. The prepaid instrument of claim 1, further comprising an instruction
setting forth the manner in which the instrument may be used by a
consumer for subsequently accessing said account in the context of a
commercial transaction.
4. The prepaid instrument of claim 1, wherein said indicia includes a bar
code.
5. The prepaid instrument of claim 1, wherein said instrument includes a
number for toll-free contact with said service provider.
6. The prepaid instrument of claim 1, wherein said instrument further
includes indicia of a replacement code.
- 1 7. The prepaid instrument of claim 6, wherein said instrument further
2 includes instructions for establishing communication with said service
3 provider, wherein said service provider network cancels the validity of said
4 authorization code information upon receipt of said indicia of said
5 replacement code.
- 1 8. A distributed system for effecting commercial transactions,
2 comprising:
3 a conventional ATM machine having a printer associated therewith;
4 a service provider network including an account database and a

5 hardware link connecting said service provider network to said ATM;
6 an instrument printed by said printer comprising indicia of a
7 authorization code corresponding to a predetermined account associated
8 with said database; and
9 a transaction terminal comprising a data entry module configured to
10 permit entry of said authorization code thereon, and communication means
11 for establishing contact with said service provider network;
12 wherein said service provider network is configured to receive indicia
13 of said authorization code from said transaction terminal and to alter the
14 account balance associated with said account in accordance with data
15 entered into said data entry module in the context of performing a
16 commercial transaction.

9. The system of claim 8, wherein said transaction terminal includes a POS terminal.

10. The system of claim 8, wherein said transaction terminal includes a bar code reader.

11. The system of claim 8, wherein said transaction terminal includes a telephone.

12. The system of claim 11, wherein said communication means includes means for effecting toll-free contact with said service provider network.

13. The system of claim 8, wherein said instrument further comprises indicia of a replacement code.

1 14. The system of claim 13, further comprising means for establishing
2 communication between a second transaction terminal and said service
3 provider network, wherein said service provider network cancels the validity
4 of said authorization code information upon receipt of said indicia of said
5 replacement code.

15. The system of claim 8, wherein said service provider network is

configured to credit a second account in the context of performing said commercial transaction.

1 16. A method of effecting a commercial transaction, comprising the steps
2 of:

3 providing a service provider network having an account database
4 including a plurality of accounts;

5 providing a communication link between said service provider network
6 and a conventional ATM;

7 entering a PIN into said ATM to thereby access said service provider
8 network through said ATM;

9 manually entering a desired account balance into said ATM;

10 generating, in response to said entering step, an authorization code
11 by said service provider network corresponding to a first of said accounts;

12 printing, by said ATM, an instrument comprising indicia of said
13 authorization code, and thereafter manually entering said authorization code
14 into a data entry terminal;

15 establishing communication between said data entry terminal and said
16 service provider network in response to the entry of said authorization code
17 information into said data entry terminal;

18 entering a transaction amount into said data entering terminal; and

19 reducing the balance associated with said first account in accordance
20 with said transaction amount.

17. The method of claim 16, wherein said data entry terminal is a POS terminal.

18. The method of claim 16, wherein said data entry terminal is a bar code reader.

19. The method of claim 16, wherein said data entry terminal is a telephone.

20. The method of claim 19, wherein said step of establishing communication between said data entry terminal and said service provider includes dialing a toll-free number on said telephone.

21. The method of claim 16, wherein said instrument further comprises indicia of a replacement code.

1 22. The method of claim 21, further comprising the steps of:
2 establishing communication between a second data entry terminal and
3 a customer service system;
4 providing said replacement code to said customer service system; and
5 canceling the validity of said authorization code.

23. The method of claim 16, further comprising the step of crediting the balance associated with a second account in accordance with said transaction amount.

1 24. A method of providing access to funds, comprising the steps of:
2 creating an account for the funds associated with a true access code
3 in a computer;
4 creating a document corresponding to the account having the true
5 access code included thereon at a remote location at approximately the
6 same time as said step of creating the account;
7 receiving a candidate access code from a remote location by the
8 computer;
9 comparing the candidate access code to the true access code; and
10 deducting the funds from the account only if the candidate access
11 code is identical to the true access code.

25. The method of claim 24, wherein said step of creating the document is performed by an ATM.

26. The system of claim 24, wherein said transaction terminal includes a POS terminal.

27. The system of claim 24, wherein said transaction terminal includes a bar code reader.

28. The system of claim 24, wherein said transaction terminal includes a telephone.

29. The system of claim 28, wherein said communication means includes means for effecting toll-free contact with said service provider network.

30. The system of claim 24, wherein said instrument further comprises indicia of a replacement code.


1 31. The system of claim 30, further comprising means for establishing
2 communication between a second transaction terminal and said service
3 provider network, wherein said service provider network cancels the validity
4 of said authorization code information upon receipt of said indicia of said
5 replacement code.



32. The system of claim 24, wherein said service provider network is configured to credit a second account in the context of performing said commercial transaction.

1 AMERICAN EXPRESSCASH
2 OCTOBER 15, 1994
3 DENVER AIRPORT #3234
4 DEDUCTED \$20.00 FROM
5 4324 2345 2344 3321
6 -----
7 AMERICAN EXPRESS PREPAID TELEPHONE
8 SERVICE
9 50 MINUTES OF DOMESTIC CALLS
10 (EXPIRES OCTOBER 16, 1996)
11 DIAL 1-800-555-2323
12 ENTER YOUR AUTHORIZATION CODE:
13 324 432 4324
14 -----
15 DIAL AREA CODE + PHONE NUMBER TO CALL
16 ANYWHERE IN THE USA OR CANADA
17 TO PLACE AN INTERNATIONAL CALL DIAL
18 001 + COUNTRY CODE + CITY CODE +
19 PHONE NUMBER
20 TO MAKE ANOTHER CALL PRESS # FOR TWO
21 SECONDS.
22 -----
23 FOR SERVICE OR REFUNDS CALL:
24 1-800-555-2242
25 -----
26 SERVICE PROVIDED BY
27 AMERICAN EXPRESS, SALT LAKE CITY, UTAH

100

FIG. 1





INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/08865

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) : G06F 17/60

US CL : 235/379

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 235/375, 379, 380, 381, 475

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS (ATM OR (AUTOMATED TELL? OR AUTOMATIC TELL?) (P) (PREPAID))
(PRE PAID OR PREPAID)(p)(INDICI? OR BAR CODE OR MAGNET?)
(ATM OR (AUTOMAT? TELL?)) (P) (VEND?)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US, A, 5,101,028 (NAITO) 31 March 1992, col. 5, lines 20-57, see Fig. 1	1-5
A	US, A, 5,243,174 (VEENEMAN ET AL) 07 September 1993, col. 5 and 6, see Figs. 1 and 2.	1-5
Y, P	US, A, 5,442,567 (SMALL) 15 August 1995, col 2, lines 5-20, see Fig. 3.	1-5
Y	US, Y, 5,025,139 (HALLIBURTON) 18 June 1991, col. 1, lines 49-69, see Fig. 1.	1-5
A, P	US, A, 5,477,038 (LEVINE ET AL) 19 December 1995, col. 2 lines 5-67, see Figs.1-4.	1-5
A	JP, A, 5-182068 (SAKAI) 23 July 1993, see the abstract and drawings.	1-5

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

01 SEPTEMBER 1996

Date of mailing of the international search report

09 SEP 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JEFFREY R. FILIPEK

Telephone No. (703) 305-3505

Form PCT/ISA/210 (second sheet)(July 1992)*

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/08865

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	JP, A, 3-226896 (Nishikawa) 07 October 1991, see abstract	1-5

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*